

Notice of Allowability	Application No.	Applicant(s)	
	10/645,712	DOLE, DOUGLAS R.	
	Examiner	Art Unit	
	Carlos Lugo	3676	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to applicant's amendment filed on March 15, 2006.
2. The allowed claim(s) is/are 5-7, 18, 19, 26-30 and 36-38.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

1. This Office Action is in response to applicant's amendment filed on March 15, 2006.

Terminal Disclaimer

2. The terminal disclaimer filed on March 15, 2006 disclaiming the terminal portion of any patent granted on this application, which would extend beyond the expiration date of US Pat No 6,626,466 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Allowable Subject Matter

3. **Claims 5-7,18,19,26-30 and 36-38 are allowed.**

Reasons For Allowance

4. The following is an examiner's statement of reasons for allowance:

The claims are allowable over the prior art of record because the teachings of the references taken as a whole do not teach or render obvious the combination set forth, including that in a series of segmented pipe couplings, wherein each series comprises two arcuate segments mounted together, the improvement comprises anti-mismatch means. This anti-mismatch means provided in one series is symmetrically different from another series so that when a person try to put together a coupling segment of a first series with a coupling segment of a second series, it will create an anti-mismatch. The antimismatch includes a projection and a recess.

Weston (US 4,896,902) discloses a pipe coupling comprising two arcuated segments, wherein one includes a projection (20) and the other a recess (28). Although it would be obvious to one of ordinary skill in the art to provide the couplings

described by Weston in different sizes, Weston fails to disclose or suggest that each series is symmetrically or orientated different from one to another.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carlos Lugo whose telephone number 571-272-7058. The examiner can normally be reached on 9-6pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Glessner can be reached on 571-272-6843. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-306-5771.

C.L.

Carlos Lugo
Patent Examiner AU 3676
March 30, 2006


BRIAN E. GLESSNER
SUPERVISORY PATENT EXAMINER